



# Trilok Precast

Mfg. RCC Prestress Precast Compound Wall

Cell : +91 80500 91444 | +91 80500 90444

E-mail : [belgaum@trilokwall.com](mailto:belgaum@trilokwall.com) | [admin@trilokwall.com](mailto:admin@trilokwall.com) | [www.trilokwall.net](http://www.trilokwall.net)

## **COMPANY PROFILE !**

We, Trilok Precast introduce ourself as the company that cares for quality cement products. We are manufacturer of prefabricated RCC compound wall with different designs godowns, Labour quarters etc. as per customer requirements.

With the culture of deep dedication to work, determination to succeed, our company today enjoys a premium position among a few indigenous class manufacturers.

Our products are manufactured under stringent norms and the raw materials procured from reputed manufacturers and suppliers are accepted through rigorous quality control norms. all these have enabled us to maintain a host of Clients.

## **OUR VISION !**

We, Trilok Precast has come with "Concept of 21<sup>st</sup> Century" and ISO 9001:2008 Co. of RCC Pre-Cast techniques Guaranteed consumers in India Safer, Cheaper, Re-usable RCC Compound wall.

## **OUR MISSION !**

With Quality, Quantity, Time and Services our Mission is to compound the India with this RCC Pre-Cast Wall.

## CEMENT SETS



Length 7 Feet (2100 mm)

Height 1 Foot (300 mm)

Width 2 inches (50 mm)

We use 4 pieces of 3 mm

PCC steel per set, with stressing system




## COLUMNS

Columns are 6x6 inches. (150x150 mm)

We use 7 pieces of 3 mm/4mm PCC steel, with stressing system.

Length is depend on customer's requirement

**BASIC DESIGN OF 7 FEET PREFABRICATED FOLDING COMPOUND WALL**



**AVAILABLE IN 5 FEET TO 10 FEET**

## **GENERAL CHARACTERISTICS**

Less Space is Utilises  
Speedy Installation  
Durable  
Re- Installable  
Better Outlook  
Fully RCC with Steel  
Various Designs  
Aesthetic

## **PRODUCT APPLICATIONS**

Compound Wall  
Garden Curbing  
Footpath Cubing  
Security Cabin  
Labor Quarter

## **SPECIFICATIONS**

Vertical concert posts as well as horizontal planks is caste using prestress technology with designed concert mis to achieve maximum durability and strength.

# WAREHOUSE COMPOUND WALL

---



## SECURITY COMPOUND WALL

---



## FINAL FINISHED COMPOUND WALL

---



# Concept For 21<sup>st</sup> Century



# INDUSTRIAL COMPOUND WALL

---



# Concept For 21<sup>st</sup> Century



# TIME & COST SAVING CONSTRUCTION

---



# OFFICE BUILDING

---



# Concept For 21<sup>st</sup> Century



# OUR VALUABLE CUSTOMERS



LARSEN & TOUBRO

HAJIRA



TATA

TATA POWER SOLAR

DAHEZ



BELGAUM

Greenko

PAUGADA



PAVGADA



HAJIRA

adani

SURAT



HAJIRA



SUZLON

PUNE



MUMBAI



Mahindra

ZAUHAVAD



VBHC

MUMBAI



BELLARI



EICHER

HATTARGI



IndianOil

DHARWAD



CHITRADURGA



EIFFEL

MUMBAI



HUBLI



MUMBAI




MUMBAI



DHARWAD





# Trilok Precast

Mfg. RCC Prestress Precast Compound Wall

No. 54/10, 54/11, 54/02,  
Nr. Suvarna Soudha, P. B. Road,  
Belagavi.

Cell : +91 80500 91444 | +91 80500 90444

E-mail : [belgaum@trilokwall.com](mailto:belgaum@trilokwall.com) | [admin@trilokwall.com](mailto:admin@trilokwall.com) | [www.trilokwall.net](http://www.trilokwall.net)